


## Anti-TBP Antibody (A82888)

### Specifications:

|                |   |
|----------------|---|
| Name:          | Anti-TBP Antibody   |
| Description:   | Goat polyclonal antibody to TBP.  |
| Applications:  | ELISA, WB   |
| Reactivity:    | Human, Mouse, Rat   |
| Immunogen:     | Synthetic peptide corresponding to Human TBP (internal region).   |
| Sequence:      | C-TPQPIQNTNSLS  |
| Host:          | Goat  |
| Clonality:     | Polyclonal  |
| Isotype:       | IgG   |
| Conjugate:     | Unconjugated  |
| Purification:  | Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. |
| Concentration: | 100 µg at 0.5 mg/ml.  |
| Product Form:  | Liquid  |
| Formulation:   | Supplied in Tris Buffered Saline, pH 7.30, with 0.02% Sodium Azide and 0.5% BSA.  |
| Storage:       | Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.   |
| Disclaimer:    | This product is for research use only. It is not intended for diagnostic or therapeutic use.  |


### Images:




Anti-TBP Antibody (A82888) (1 µg/ml) staining of cell line NIH3T3 (A), Mouse Testis (B) and Rat Testis (C) lysates (35 µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence

## Anti-TBP Antibody (A82888)

Images continued:



Anti-TBP Antibody (A82888) (1 $\mu$ g/ml) staining of HeLa nuclear (A) and cytosolic (B) lysates (35 $\mu$ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



Anti-TBP Antibody (A82888) (1 $\mu$ g/ml) staining of Pig Testis lysate (35 $\mu$ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence