

Anti-Moesin Antibody [rMSN/492] (A249387)

Specifications:

Name: Anti-Moesin Antibody [rMSN/492]

Description: Recombinant mouse monoclonal [rMSN/492] antibody to Moesin.

Applications: Flow Cytometry, IF, WB, IHC-P

Recommended Dilutions: Flow Cytometry: 1-2 μg/million cells, IF: 2-4 μg/ml, WB: 1-2 μg/ml, IHC-P: 1-2 μg/ml

Reactivity: Human, Rat

Immunogen: Recombinant full-length human Moesin protein.

Host: Mouse

Clonality: Monoclonal

Clone ID: rMSN/492

Isotype: IgG1

Light Chains: kappa

Conjugate: Unconjugated

Purification: Protein A/G chromatography.

Concentration: 200 μg/ml

Product Form: Liquid

Formulation: Supplied in 10mM Phosphate Buffered Saline with 0.05% BSA and 0.05% Sodium Azide.

Storage: Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

General Notes: This monoclonal antibody is also available in a different formulation without BSA and


Sodium Azide - Anti-Moesin Antibody [rMSN/492] - BSA and Azide free (A252567).

Disclaimer: This product is for research use only. It is not intended for diagnostic or therapeutic use.




Anti-Moesin Antibody [rMSN/492] (A249387)


Images:




Immunohistochemical analysis of formalin-fixed, paraffin-embedded human placenta using Anti-Moesin Antibody [rMSN/492].



SDS-PAGE analysis of Anti-Moesin Antibody [rMSN/492] under non-reduced and reduced conditions; showing intact IgG and intact heavy and light chains, respectively. SDS-PAGE analysis confirms the integrity and purity of the antibody.



Western blot analysis of human Jurkat cell lysate using Anti-Moesin Antibody [rMSN/492].



Immunofluorescent analysis of PFA fixed HeLa cells stained with Anti-Moesin Antibody [rMSN/492] followed by Goat Anti-Mouse IgG (CF® 488) (Green). The nuclear counterstain is RedDot (Red).