

Anti-CD45RA Antibody [PTPRC/818] (A249785)

Specifications:

Name:	Anti-CD45RA Antibody [PTPRC/818]
Description:	Mouse monoclonal [PTPRC/818] antibody to CD45RA.
Specificity:	This antibody recognizes a protein of 205kDa-220kDa, identified as CD45RA. CD45RA is isoforms of the human leukocyte common antigen (CD45). Human CD45 contains three exons which encode peptide segments designated A, B and C, respectively. The differential splicing of the exons generates at least five isoforms, ABC, AB, BC, B and O. This antibody reacts with ABC and BC isoforms. CD45RA is expressed on 40-50% of peripheral CD4+ T-cells, 50% of peripheral CD8+ T-cells, B-cells, and leukemic B-cell lines. T-cells expressing CD45RA are naive or virgin T-cells. T-cells expressing CD45RO are memory T-cells. CD45RA and CD45RO define complementary, predominantly non-overlapping populations of resting peripheral T-cells. This MAb is useful in study on the subpopulation of CD4+ or CD8+ T-cells. It can especially be used to differentiate T-cell lymphomas (CD45RO +ve) from B cell lymphomas (CD45RA +ve).
Applications:	Flow Cytometry, IF, WB, IHC-P
Recommended Dilutions:	Flow Cytometry: 1-2 µg/million cells, IF: 1-2 µg/ml, WB: 1-2 µg/ml, IHC-P: 1-2 µg/ml
Reactivity:	Human
Immunogen:	Stimulated human leukocytes.
Host:	Mouse
Clonality:	Monoclonal
Clone ID:	PTPRC/818
Isotype:	IgG2a
Light Chains:	kappa
Conjugate:	Unconjugated
Purification:	Protein A/G chromatography.
Concentration:	200 µg/ml
Product Form:	Liquid
Formulation:	Supplied in 10mM Phosphate Buffered Saline with 0.05% BSA and 0.05% Sodium Azide.
Storage:	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.


Anti-CD45RA Antibody [PTPRC/818] (A249785)

Specifications continued:


General Notes: This monoclonal antibody is also available in a different formulation without BSA and Sodium Azide - Anti-CD45RA Antibody [PTPRC/818] - BSA and Azide free (A252965).

Disclaimer: This product is for research use only. It is not intended for diagnostic or therapeutic use.


Images:



Immunohistochemical analysis of formalin-fixed, paraffin-embedded human tonsil using Anti-CD45RA Antibody [PTPRC/818].




SDS-PAGE analysis of Anti-CD45RA Antibody [PTPRC/818] under non-reduced and reduced conditions; showing intact IgG and intact heavy and light chains, respectively. SDS-PAGE analysis confirms the integrity and purity of the antibody.



Flow cytometric analysis of PFA fixed Jurkat cells using Anti-CD45RA Antibody [PTPRC/818] followed by Goat Anti-Mouse IgG (CF® 488) (Blue). Isotype Control (Red).

Anti-CD45RA Antibody [PTPRC/818] (A249785)

Images continued:



Immunofluorescent analysis of PFA fixed Jurkat cells stained with Anti-CD45RA Antibody [PTPRC/818] followed by Goat Anti-Mouse IgG (CF® 488) (Green). The nuclear counterstain is RedDot.