

Anti-Albumin Antibody [ALB/2355] - BSA and Azide free (A251683)

Specifications:

Name: Anti-Albumin Antibody [ALB/2355] - BSA and Azide free

Description: Mouse monoclonal [ALB/2355] antibody to Albumin.

Specificity: This antibody is absolutely specific to albumin and does not show any significant

cross-reaction with other human proteins. Albumin is a soluble, monomeric protein, which comprises about one half of the blood serum protein. Albumin functions primarily as a carrier protein for steroids, fatty acids, and thyroid hormones and plays a role in stabilizing extracellular fluid volume. Albumin is synthesized in the liver as preproalbumin, which has an N-terminal peptide that is removed before the nascent protein is released from the rough endoplasmic reticulum. The product, proalbumin, is in turn cleaved in the Golgi vesicles to

produce the secreted form of albumin.

Applications: IF, ELISA

Recommended Dilutions: IF: 2-4 μg/ml

Reactivity: Human

Immunogen: Recombinant full-length human ALB protein.

Host: Mouse

Clonality: Monoclonal

Clone ID: ALB/2355

Isotype: IgG2b

Light Chains: kappa

Conjugate: Unconjugated

Purification: Protein A/G chromatography.

Concentration: 1 mg/ml

Product Form: Liquid

Formulation: Supplied in 10mM Phosphate Buffered Saline; without Sodium Azide and carrier free.

Storage: Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

General Notes: This monoclonal antibody is also available in a different formulation with BSA and Sodium


Azide - Anti-Albumin Antibody [ALB/2355] (A248501).

Disclaimer: This product is for research use only. It is not intended for diagnostic or therapeutic use.




Anti-Albumin Antibody [ALB/2355] - BSA and Azide free (A251683)


Images:



SDS-PAGE analysis of Anti-Albumin Antibody [ALB/2355] under non-reduced and reduced conditions; showing intact IgG and intact heavy and light chains, respectively. SDS-PAGE analysis confirms the integrity and purity of the antibody.



Immunofluorescent analysis of HePG2 cells stained with Anti-Albumin Antibody [ALB/2355] followed by Goat Anti-Mouse IgG (CF® 488) (Green). The nuclear counterstain is RedDot (Red).



Immunohistochemical analysis of formalin-fixed, paraffin-embedded human liver carcinoma in colon using Anti-Albumin Antibody [ALB/2355].



Anti-Albumin Antibody [ALB/2355] - BSA and Azide free (A251683)

Images continued:



Analysis of protein array containing more than 19,000 full-length human proteins using Anti-Albumin Antibody [ALB/2355]. Z-Score and S- Score: The Z-score represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-lgG secondary antibody) produces when binding to a particular protein on the HuProtTM array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProtTM are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a MAb to its intended target; a MAb is considered to be specific to its intended target, if the MAb has an S-score of at least 2.5. For example, if a MAb binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the binding of that MAb to protein X is equal to 29.