


Anti-CD79a Antibody [IGA/1688R] - BSA and Azide free (A253972)

Specifications:


Name:	Anti-CD79a Antibody [IGA/1688R] - BSA and Azide free
Description:	Recombinant rabbit monoclonal [IGA/1688R] antibody to CD79a.
Applications:	WB, IF, Flow Cytometry, IHC-P
Recommended Dilutions:	WB: 1-2 µg/ml, IF: 1-2 µg/ml, Flow Cytometry: 1-2 µg/million cells, IHC-P: 1-2 µg/ml
Reactivity:	Human, Mouse, Rat
Immunogen:	Synthetic peptide corresponding to amino acids 202-216 of human CD79a protein.
Sequence:	GTYQDVGSLNIADVQ
Host:	Rabbit
Clonality:	Monoclonal
Clone ID:	IGA/1688R
Isotype:	IgG
Conjugate:	Unconjugated
Purification:	Protein A chromatography.
Concentration:	1 mg/ml
Product Form:	Liquid
Formulation:	Supplied in 10mM Phosphate Buffered Saline; without Sodium Azide and carrier free.
Storage:	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
General Notes:	This monoclonal antibody is also available in a different formulation with BSA and Sodium Azide - Anti-CD79a Antibody [IGA/1688R] (A250792).
Disclaimer:	This product is for research use only. It is not intended for diagnostic or therapeutic use.

Anti-CD79a Antibody [IGA/1688R] - BSA and Azide free (A253972)


Images:




Immunohistochemical analysis of formalin-fixed, paraffin-embedded human tonsil using Anti-CD79a Antibody [IGA/1688R].



SDS-PAGE analysis of Anti-CD79a Antibody [IGA/1688R] under non-reduced and reduced conditions; showing intact IgG and intact heavy and light chains, respectively. SDS-PAGE analysis confirms the integrity and purity of the antibody.



Western blot analysis of human Raji cell lysate using Anti-CD79a Antibody [IGA/1688R].



Flow cytometric analysis of Raji cells using Anti-CD79a Antibody [IGA/1688R] followed by Goat Anti-Rabbit IgG (CF® 488) (Blue). Isotype Control (Red).