

## Naratuximab Biosimilar - Anti-CD37 Antibody - Low endotoxin, Azide free (A323596)


## Specifications:

Name:	Naratuximab Biosimilar - Anti-CD37 Antibody - Low endotoxin, Azide free
Description:	Recombinant human monoclonal antibody to CD37.
Applications:	ELISA, FACS, Functional Assay, In Vivo
Reactivity:	Human
Host:	Human
Clonality:	Monoclonal
Isotype:	lgG1
Light Chains:	kappa
Conjugate:	Unconjugated
Purification:	Protein A affinity chromatography.
Concentration:	Reconstitution dependent.
Molecular Weight:	This antibody has a predicted MW of 145 kDa.
Purity:	> 95% (by SDS-PAGE and SEC-HPLC).
Product Form:	Lyophilized
Reconstitution:	Reconstitute with $100\mu$ I of sterile double-distilled water to bring antibody to $1$ mg/mI concentration. Gently shake to solubilize completely. Do not vortex!
Formulation:	Lyophilized from 25mM Histadine, pH 6.2, with 8% Sucrose and 0.01% Tween80.
Storage:	Shipped at 4°C. Lyophilized: Store at -20°C to -80°C. Reconstituted: Aliquot and store at -80°C. Product is stable for one year. Avoid freeze/thaw cycles.
Disclaimer:	This product is for research use only. It is not intended for diagnostic or therapeutic use.




## Naratuximab Biosimilar - Anti-CD37 Antibody - Low endotoxin, Azide free (A323596)


Images:




SDS-PAGE analysis of Naratuximab Biosimilar - Anti-CD37 Antibody - Low endotoxin, Azide free (A323596) under reducing (R) conditions confirms that the purity of this antibody is greater than 95%.



SEC-HPLC analysis of Naratuximab Biosimilar - Anti-CD37 Antibody - Low endotoxin, Azide free (A323596) confirms that the purity of this antibody is 100%.



Immobilized recombinant human CD37 VLP protein at 16  $\mu$ g/ml is bound by Naratuximab Biosimilar - Anti-CD37 Antibody - Low endotoxin, Azide free (A323596). EC50 = 0.0047  $\mu$ g/ml.



Human CD37 & CD20 EGFP HEK293 Cell Line were stained with Naratuximab Biosimilar - Anti-CD37 Antibody - Low endotoxin, Azide free (A323596) and negative control protein respectively, analyzed with FACS, EC50 = 0.1816µg/mL µg/ml