

## AZD-8205 Biosimilar - Anti-B7H4 Antibody - BSA and Azide free (A324622)


### Specifications:

Name:	AZD-8205 Biosimilar - Anti-B7H4 Antibody - BSA and Azide free
Description:	Recombinant humanized monoclonal antibody to B7H4.
Applications:	ELISA, Flow Cytometry
Recommended Dilutions:	ELISA: 1:5,000-10,000, Flow Cytometry: 1:100
Reactivity:	Human
Host:	Humanized
Clonality:	Monoclonal
Isotype:	lgG1
Conjugate:	Unconjugated
Purification:	Affinity chromatography.
Concentration:	Reconstitution dependent.
Product Form:	Lyophilized
Reconstitution:	Reconstitute with distilled sterile water.
Formulation:	Lyophilized from sterile Phosphate Buffered Saline, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization.
Storage:	Shipped at 4°C. Lyophilized: Store at -20°C to -80°C. Reconstituted: Aliquot and store at -80°C. Product is stable for one year. Avoid freeze/thaw cycles.
General Notes:	Prior to reconstitution, centrifuge the vial at 5,000g for 3-5 minutes at room temperature. Reconstitute with appropriate volume of distilled sterile water to bring product to 1mg/ml concentration. After addition of distilled sterile water, mix by gentle tapping. Note: It is not recommended to vortex or vigorously pipette the sample.
Disclaimer:	This product is for research use only. It is not intended for diagnostic or therapeutic use.


# antibodies

### AZD-8205 Biosimilar - Anti-B7H4 Antibody - BSA and Azide free (A324622)

#### Images:



ELISA plates were pre-coated with Recombinant Human B7H4 Protein (Fc Tag) (A318359) at 2  $\mu$ g/ml (100  $\mu$ l/well) which can bind AZD-8205 Biosimilar - Anti-B7H4 Antibody - BSA and Azide free (A324622) in a linear range of 3.20-80 ng/ml. In order to specifically detect AZD-8205 Biosimilar - Anti-B7H4 Antibody - BSA and Azide free (A324622), Mouse Anti-Human Fab Antibody was used as detection antibody.



Flow cytometry analysis of 1µg/ml of AZD-8205 Biosimilar - Anti-B7H4 Antibody - BSA and Azide free (A324622) on Expi293 cells transfected with Human B7-H4 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).