
antibodies

Anti-Somatostatin Receptor 2 Antibody (A90526)

Specifications:

Name:	Anti-Somatostatin Receptor 2 Antibody
Description:	Rabbit polyclonal antibody to Somatostatin Receptor 2.
Applications:	WB, ICC/IF
Recommended Dilutions:	WB: 1:500-1:2,000, ICC/IF: 1:50-1:100
Reactivity:	Human, Mouse, Rat
Immunogen:	A synthetic peptide corresponding to a sequence within amino acids 300 to the C-terminus of human Somatostatin Receptor 2 (SSTR2) (NP_001041.1).
Sequence:	LTYANSCANPILYAFLSDNFKKSFQNVLCLVKVSGTDDGERSDSKQDKSRLNETTETQ RTLLNGDLQTSI
Host:	Rabbit
Clonality:	Polyclonal
lsotype:	lgG
Conjugate:	Unconjugated
Purification:	Affinity purification.
Molecular Weight:	56 kDa
Product Form:	Liquid
Formulation:	Supplied in Phosphate Buffered Saline, pH 7.3, with 50% Glycerol and 0.01% Thiomersal.
Storage:	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Disclaimer:	This product is for research use only. It is not intended for diagnostic or therapeutic use.

Images:




Western blot analysis of extracts of various cell lines, using Anti-Somatostatin Receptor 2 Antibody (A90526) at 1:1,000 dilution. The secondary antibody was Goat Anti-Rabbit IgG H&L Antibody (HRP) at 1:10,000 dilution. Lysates/proteins were present at 25µg per lane. The blocking buffer used was 3% non-fat dry milk in TBST. Detection was with a ECL Enhanced Kit (RM00021). Exposure time: 30s.


antibodies

Anti-Somatostatin Receptor 2 Antibody (A90526)


Images continued:



Immunofluorescence analysis of C6 cells using Anti-Somatostatin Receptor 2 Antibody (A90526) at a dilution of 1:100 (40x lens). DAPI was used to stain the cell nuclei (blue).



Immunofluorescence analysis of L929 cells using Anti-Somatostatin Receptor 2 Antibody (A90526) at a dilution of 1:100 (40x lens). DAPI was used to stain the cell nuclei (blue).



Immunofluorescence analysis of U-2 OS cells using Anti-Somatostatin Receptor 2 Antibody (A90526) at a dilution of 1:100 (40x lens). DAPI was used to stain the cell nuclei (blue).