

## Anti-NF kappa B p105 / p50 Antibody (A94396)

#### Specifications:

Name: Anti-NF kappa B p105 / p50 Antibody

Description: Rabbit polyclonal antibody to NF kappa B p105 / p50.

Applications: WB, IHC, ELISA

Recommended Dilutions: WB: 1:500-1:1000, IHC: 1:50-1:100, ELISA: 1:20000

Reactivity: Human, Mouse, Rat

Immunogen: Synthetic peptide derived from human NF-kappaB p105/p50 (amino acids 304-353).

Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Conjugate: Unconjugated

Purification: Purified from rabbit serum by antigen affinity chromatography using the immunizing peptide.

Molecular Weight: 105kDa

Product Form: Liquid


Formulation: Supplied in Phosphate Buffered Saline (without Mg2+ and Ca2+), pH 7.4, with 150mM

NaCl, 0.02% Sodium Azide, and 50% Glycerol.

Storage: Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

Disclaimer: This product is for research use only. It is not intended for diagnostic or therapeutic use.

#### Images:




Western blot analysis of lysates from MDA-MB-435 cells using Anti-NF kappa B p105 / p50 Antibody. The right hand lane represents a negative control, where the antibody is blocked by the immunising peptide.




# Anti-NF kappa B p105 / p50 Antibody (A94396)


### Images continued:



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using Anti-NF kappa B p105 / p50 Antibody. The right hand panel represents a negative control, where the antibody was pre-incubated with the immunising peptide.



Immunohistochemical analysis of paraffin-embedded human Tonsil tissue using Anti-NF kappa B p105 / p50 Antibody at 1:200 (4°C overnight). Negative control was secondary antibody only.



Immunohistochemical analysis of paraffin-embedded human colon tissue using Anti-NF kappa B p105 / p50 Antibody at 1:200 (4 $^{\circ}$ C overnight). Negative control was secondary antibody only.