

Anti-Mast Cell Tryptase Antibody [TPSAB1/1961] (A250206)

\sim					
	മ	CIT	เคล	TIC	ns:
$\mathbf{\mathcal{C}}$	2	CII	ıca	LIC	,, io.

Name: Anti-Mast Cell Tryptase Antibody [TPSAB1/1961]

Description: Mouse monoclonal [TPSAB1/1961] antibody to Mast Cell Tryptase.

Specificity: Tryptases comprise a family of trypsin-like serine proteases (peptidase family S1).

Tryptases are stored in mast cell secretory granules and basophils. Mast cells are connective tissue cells derived from blood-forming tissues that line arterial walls and secrete substances, which mediate inflammatory and immune responses. Tryptases are released into the extracellular environment and are resistant to all known endogenous proteinase inhibitors. This antibody reacts with mast cells distributed in skin, synovium, lung, and heart. This antibody does not bind with any other cell type. Human mast cell tryptase is considered to be an important marker of mast cell activation and is an important mediator of inflammation. Mastocytosis is a term collectively used for a group of disorders

in which there is abnormal accumulation of mast cells in one or multiple organs. Anti-tryptase, combined with anti-CD2, anti-CD25, and anti-CD117, can be useful in

identifying reactive mast cell hyperplasia, myelogenous neoplasms, mast cell leukemia, and

mastocytosis.

Applications: IHC-P

Recommended Dilutions: IHC-P: 1-2 μg/ml

Reactivity: Human

Immunogen: Recombinant fragment, around amino acids 115-223, of human Tryptase protein. The exact

sequence is proprietary.

Host: Mouse

Clonality: Monoclonal

Clone ID: TPSAB1/1961

Isotype: IgG1

Light Chains: kappa

Conjugate: Unconjugated

Purification: Protein A/G chromatography.

Concentration: 200 µg/ml

Product Form: Liquid

Formulation: Supplied in 10mM Phosphate Buffered Saline with 0.05% BSA and 0.05% Sodium Azide.



Anti-Mast Cell Tryptase Antibody [TPSAB1/1961] (A250206)

Specifications continued:

Storage: Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.


General Notes: This monoclonal antibody is also available in a different formulation without BSA and

Sodium Azide - Anti-Mast Cell Tryptase Antibody [TPSAB1/1961] - BSA and Azide free


(A253386).

Disclaimer: This product is for research use only. It is not intended for diagnostic or therapeutic use.

Images:



Immunohistochemical analysis of formalin-fixed, paraffin-embedded human tonsil using Anti-Mast Cell Tryptase Antibody [TPSAB1/1961].



SDS-PAGE analysis of Anti-Mast Cell Tryptase Antibody [TPSAB1/1961] under non-reduced and reduced conditions; showing intact IgG and intact heavy and light chains, respectively. SDS-PAGE analysis confirms the integrity and purity of the antibody.



Anti-Mast Cell Tryptase Antibody [TPSAB1/1961] (A250206)

Images continued:



Analysis of protein array containing more than 19,000 full-length human proteins using Anti-Mast Cell Tryptase Antibody [TPSAB1/1961]. Z-Score and S- Score: The Z-score represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProtTM array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProtTM are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a MAb to its intended target; a MAb is considered to be specific to its intended target, if the MAb has an S-score of at least 2.5. For example, if a MAb binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the binding of that MAb to protein X is equal to 29.