

Anti-Fibrinogen beta chain Antibody (A13446)

Specifications:

Name: Anti-Fibrinogen beta chain Antibody

Description: Rabbit polyclonal antibody to Fibrinogen beta chain.

Applications: WB, ICC/IF

Recommended Dilutions: WB: 1:500-1:1,000, ICC/IF: 1:50-1:200

Reactivity: Human, Mouse, Rat

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 111-222

of human FGB (NP_005132.2).

Sequence: QLQEALLQQERPIRNSVDELNNNVEAVSQTSSSSFQYMYLLKDLWQKRQKQVKDNENV

VNEYSSELEKHQLYIDETVNSNIPTNLRVLRSILENLRSKIQKLESDVSAQMEY

Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Conjugate: Unconjugated

Purification: Affinity purification.

Molecular Weight: 56 kDa


Product Form: Liquid

Storage: Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

Disclaimer: This product is for research use only. It is not intended for diagnostic or therapeutic use.

Images:

Formulation:




Western blot analysis of extracts of various cell lines, using Anti-Fibrinogen beta chain Antibody (A13446) at 1:1,000 dilution. The secondary antibody was Goat Anti-Rabbit IgG H&L Antibody (HRP) at 1:10,000 dilution. Lysates/proteins were present at 25µg per lane. The blocking buffer used was 3% non-fat dry milk in TBST. Detection was with a ECL Basic Kit. Exposure time: 10s.

Supplied in Phosphate Buffered Saline, pH 7.3, with 50% Glycerol and 0.01% Thiomersal.




Anti-Fibrinogen beta chain Antibody (A13446)

Images continued:



Western blot analysis of extracts of HepG2 cells, using Anti-Fibrinogen beta chain Antibody (A13446) at 1:1,000 dilution. The secondary antibody was Goat Anti-Rabbit IgG H&L Antibody (HRP) at 1:10,000 dilution. Lysates/proteins were present at 25µg per lane. The blocking buffer used was 3% non-fat dry milk in TBST. Detection was with a ECL Basic Kit. Exposure time: 10s.



Immunofluorescence analysis of HepG2 cells using Anti-Fibrinogen beta chain Antibody (A13446) at a dilution of 1:100 (40x lens). DAPI was used to stain the cell nuclei (blue).