

Anti-Ataxin 1 Antibody (A15112)


Specifications:

| Name: | Anti-Ataxin 1 Antibody |
|------------------------|--|
| Description: | Rabbit polyclonal antibody to Ataxin 1. |
| Applications: | WB |
| Recommended Dilutions: | WB: 1:500-1:2,000 |
| Reactivity: | Human, Mouse, Rat |
| Immunogen: | Recombinant fusion protein containing a sequence corresponding to amino acids 586-815 of human ATXN1 (NP_001121636.1). |
| Sequence: | ELKKVEDLKTEDFIQSAEISNDLKIDSSTVERIEDSHSPGVAVIQFAVGEHRAQVSVE VLVEYPFFVFGQGWSSCCPERTSQLFDLPCSKLSVGDVCISLTLKNLKNGSVKKGQPV DPASVLLKHSKADGLAGSRHRYAEQENGINQGSAQMLSENGELKFPEKMGLPAAPFLT KIEPSKPAATRKRRWSAPESRKLEKSEDEPPLTLPKPSLIPQEVKICIEGRSNVGK |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| lsotype: | lgG |
| Conjugate: | Unconjugated |
| Purification: | Affinity purification. |
| Molecular Weight: | 87 kDa |
| Product Form: | Liquid |
| Formulation: | Supplied in Phosphate Buffered Saline, pH 7.3, with 50% Glycerol and 0.02% Sodium Azide. |
| Storage: | Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles. |
| Disclaimer: | This product is for research use only. It is not intended for diagnostic or therapeutic use. |
| | |

antibodies

Anti-Ataxin 1 Antibody (A15112)

Images:



Western blot analysis of extracts of various cell lines, using Anti-Ataxin 1 Antibody (A15112) at 1:1,000 dilution. The secondary antibody was Goat Anti-Rabbit IgG H&L Antibody (HRP) at 1:10,000 dilution. Lysates/proteins were present at 25µg per lane. The blocking buffer used was 3% non-fat dry milk in TBST. Detection was with a ECL Basic Kit. Exposure time: 120s.