

## **Anti-PGP9.5 Antibody [SPM574] (A250270)**

## Specifications:

Name: Anti-PGP9.5 Antibody [SPM574]

Description: Mouse monoclonal [SPM574] antibody to PGP9.5.

Specificity: This antibody reacts with a protein of 20-30kDa, identified as PGP9.5, also known as

ubiquitin carboxyl-terminal hydrolase-1 (UchL1). Initially, PGP9.5 expression in normal tissues was reported in neurons and neuroendocrine cells but later it was found in distal renal tubular epithelium, spermatogonia, Leydig cells, oocytes, melanocytes, prostatic secretory epithelium, ejaculatory duct cells, epididymis, mammary epithelial cells, Merkel cells, and dermal fibroblasts. Furthermore, immunostaining for PGP9.5 has been shown in a wide variety of mesenchymal neoplasms as well. A mutation in PGP9.5 gene is believed

to cause a form of Parkinsons disease.

Applications: WB, IF, IHC-P

Recommended Dilutions: WB: 1-2 μg/ml, IF: 1-2 μg/ml, IHC-P: 1-2 μg/ml

Reactivity: Human, Mouse, Rat, Bovine, Porcine

Immunogen: Native PGP9.5 protein from brain.

Host: Mouse

Clonality: Monoclonal

Clone ID: SPM574

Isotype: IgG1

Light Chains: kappa

Conjugate: Unconjugated

Purification: Protein A/G chromatography.

Concentration: 200 µg/ml

Product Form: Liquid

Formulation: Supplied in 10mM Phosphate Buffered Saline with 0.05% BSA and 0.05% Sodium Azide.

Storage: Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

General Notes: This monoclonal antibody is also available in a different formulation without BSA and

Sodium Azide - Anti-PGP9.5 Antibody [SPM574] - BSA and Azide free (A253450).

Disclaimer: This product is for research use only. It is not intended for diagnostic or therapeutic use.




## **Anti-PGP9.5 Antibody [SPM574] (A250270)**


## Images:



Immunohistochemical analysis of formalin-fixed, paraffin-embedded rat cerebellum using Anti-PGP9.5 Antibody [SPM574].



Western blot analysis of human brain lysate using Anti-PGP9.5 Antibody [SPM574].



Immunofluorescent analysis of T98G cells stained with Anti-PGP9.5 Antibody [SPM574] followed by Goat Anti-Mouse IgG (CF® 488) (Green). The nuclear counterstain is NucSpot (Red).