


## Anti-MMP3 Antibody [MMP3/1730] - BSA and Azide free (A252548)

### Specifications:

Name:	Anti-MMP3 Antibody [MMP3/1730] - BSA and Azide free
Description:	Mouse monoclonal [MMP3/1730] antibody to MMP3.
Specificity:	The matrix metalloproteinases (MMP) are a family of peptidase enzymes responsible for the degradation of extracellular matrix components, including collagen, gelatin, fibronectin, laminin and proteoglycan. Transcription of MMP genes is differentially activated by phorbol ester, lipopolysaccharide (LPS) or staphylococcal enterotoxin B (SEB). MMP catalysis requires both calcium and zinc. MMP-3, MMP-10 and MMP-11 (also designated stromelysin-1, 2 and 3, respectively) activate procollagenase. MMP-3 activation of procollagenase can occur via two pathways. Direct activation by MMP-3 is slow and activation by MMP-3 in conjunction with tissue or plasma proteinases is rapid. MMP-10 is expressed in small intestine, and at lower levels in lung and heart. MMP-11 is specifically expressed in stromal cells of breast carcinomas and contributes to epithelial cell malignancies.
Applications:	ELISA
Reactivity:	Human
Immunogen:	Recombinant full-length human MMP3 protein.
Host:	Mouse
Clonality:	Monoclonal
Clone ID:	MMP3/1730
Isotype:	IgG1
Light Chains:	lambda
Conjugate:	Unconjugated
Purification:	Protein A chromatography.
Concentration:	1 mg/ml
Product Form:	Liquid
Formulation:	Supplied in 10mM Phosphate Buffered Saline; without Sodium Azide and carrier free.
Storage:	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
General Notes:	This monoclonal antibody is also available in a different formulation with BSA and Sodium Azide - Anti-MMP3 Antibody [MMP3/1730] (A249368).
Disclaimer:	This product is for research use only. It is not intended for diagnostic or therapeutic use.

## Anti-MMP3 Antibody [MMP3/1730] - BSA and Azide free (A252548)

### Images:



SDS-PAGE analysis of Anti-MMP3 Antibody [MMP3/1730] under non-reduced and reduced conditions; showing intact IgG and intact heavy and light chains, respectively. SDS-PAGE analysis confirms the integrity and purity of the antibody.