

Anti-Mucin 5AC Antibody [2-11M1] - BSA and Azide free (A252619)

Sı	pe	cifi	ca	tic	กเ	S:
_	~~	•…		•••	444	٠.

Name: Anti-Mucin 5AC Antibody [2-11M1] - BSA and Azide free

Description: Mouse monoclonal [2-11M1] antibody to Mucin 5AC.

Specificity: This antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin

5AC). Its epitope is located in the N-terminal cysteine rich part of the peptide core of MUC5AC, which is heavily glycosylated. Its epitope is destroyed by beta-mercaptoethanol but not by periodate treatment. MAb 2-11M1 reacts with the protein backbone exclusively; it only reacts with fully deglycosylated MUC5AC. Therefore, the material under test should also be fully deglycosylated. This can be achieved with standard periodate oxidation method. The success of the deglycosylation can be checked with routine PAS (Periodic Acid Shiff) staining. After deglycosylation, the preparation should no longer be stainable with PAS reagent. Only then 2-11M1 will react should MUC5AC be present. This mucin is

present in primary ovarian mucinous cancer but usually absent in colorectal

adenocarcinoma, thus showing an expression pattern opposite to MUC2. Together with a panel of antibodies, Anti-MUC5AC may be useful for differential identification of primary mucinous ovarian tumors from colon adenocarcinoma metastatic to the ovary. MUC5AC antibodies may also be useful for identification of intestinal metaplasia as well as in the identification of pancreatic carcinoma and pre-cancerous changes vs. normal pancreas.

Applications: ELISA, Flow Cytometry, IF

Recommended Dilutions: Flow Cytometry: 1-2 μg/million cells, IF: 1-2 μg/ml

Reactivity: Human, Monkey, Bovine, Feline, Mouse

Immunogen: M1 mucin preparation from the fluid of an ovarian mucinous cyst belonging to an O Le(a-b)

patient.

Host: Mouse

Clonality: Monoclonal

Clone ID: 2-11M1

Isotype: IgG1

Light Chains: kappa

Conjugate: Unconjugated

Purification: Protein A/G chromatography.

Concentration: 1 mg/ml

Product Form: Liquid



Anti-Mucin 5AC Antibody [2-11M1] - BSA and Azide free (A252619)

Specifications continued:

Formulation: Supplied in 10mM Phosphate Buffered Saline; without Sodium Azide and carrier free.


Storage: Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

General Notes: This monoclonal antibody is also available in a different formulation with BSA and Sodium

Azide - Anti-Mucin 5AC Antibody [2-11M1] (A249439).

Disclaimer: This product is for research use only. It is not intended for diagnostic or therapeutic use.

Images:



SDS-PAGE analysis of Anti-Mucin 5AC Antibody [2-11M1] under non-reduced and reduced conditions; showing intact IgG and intact heavy and light chains, respectively. SDS-PAGE analysis confirms the integrity and purity of the antibody.