


Anti-Myc Tag Antibody (A295120)

Specifications:

Name:	Anti-Myc Tag Antibody
Description:	Goat polyclonal antibody to Myc Tag.
Applications:	WB, IP, ICC, ELISA, ChIP
Recommended Dilutions:	ELISA: 1:1,000-1:30,000 (for coating plates 1:100-1:500), ICC: 1:100-1:400, IP: 1-4 μ g / 1 mg lysate, WB: 1:1,000-1:30,000
Immunogen:	Synthetic peptide representing amino acids 410-419 (EQKLISEEDL) of human Myc, conjugated to KLH.
Host:	Goat
Clonality:	Polyclonal
Isotype:	IgG
Conjugate:	Unconjugated
Purification:	Antigen affinity purification.
Concentration:	1 mg/ml
Product Form:	Liquid
Formulation:	Supplied in Phosphate Buffered Saline with 0.09% Sodium Azide.
Storage:	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
General Notes:	This antibody was affinity purified using the immunising peptide immobilized on solid support. Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.
Disclaimer:	This product is for research use only. It is not intended for diagnostic or therapeutic use.

Images:



Samples: 200, 100, or 50 ng of E. coli whole cell lysate expressing a multi-tag fusion protein. Antibodies: Anti-Myc Tag Antibody (A295120) was used for WB at 0.04 μ g/ μ l (1:25,000). Detection: Chemiluminescence with an exposure time of 30 seconds.