

# **Anti-MBD2 Antibody (A82510)**

## Specifications:

Name: Anti-MBD2 Antibody

Description: Goat polyclonal antibody to MBD2.

Applications: ELISA, WB, IHC

Reactivity: Human

Immunogen: Synthetic peptide corresponding to Human MBD2 (internal region).

Sequence: C-RNDPLNQNKGKPDLN

Host: Goat

Clonality: Polyclonal

Isotype: IgG

Conjugate: Unconjugated

Purification: Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity

chromatography using the immunizing peptide.

Concentration: 100 µg at 0.5 mg/ml.

Product Form: Liquid

Formulation: Supplied in Tris Buffered Saline, pH 7.30, with 0.02% Sodium Azide and 0.5% BSA.

Storage: Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

Disclaimer: This product is for research use only. It is not intended for diagnostic or therapeutic use.

#### Images:

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

15kDa


Anti-MBD2 Antibody (A82510) (0.3μg/ml) staining of Jurkat cell lysate (35μg protein in RIPA

buffer). Detected by chemiluminescence.




# Anti-MBD2 Antibody (A82510)


## Images continued:



Anti-MBD2 Antibody (A82510) ( $2.5\mu g/ml$ ) staining of paraffin embedded Human Colon. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Anti-MBD2 Antibody (A82510) (2.5µg/ml) staining of paraffin embedded Human Adrenal Gland. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Anti-MBD2 Antibody (A82510) ( $2.5\mu g/ml$ ) staining of paraffin embedded Human Skin. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.