

Anti-FSTL1 Antibody (A83869)

Specifications:

Name:	Anti-FSTL1 Antibody
Description:	Goat polyclonal antibody to FSTL1.
Applications:	ELISA, WB
Reactivity:	Human
Immunogen:	Synthetic peptide corresponding to Human FSTL1 (C terminal).
Sequence:	C-TAEKTKRVSTKEI
Host:	Goat
Clonality:	Polyclonal
lsotype:	lgG
Conjugate:	Unconjugated
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Concentration:	100 μg at 0.5 mg/ml.
Product Form:	Liquid
Formulation:	Supplied in Tris Buffered Saline, pH 7.30, with 0.02% Sodium Azide and 0.5% BSA.
Storage:	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Disclaimer:	This product is for research use only. It is not intended for diagnostic or therapeutic use.

Images:


	A	в
250kDa 150kDa 100kDa		
75kDa		
50kDa	-	
37kDa		
25kDa		
20kDa		
15kDa		

Anti-FSTL1 Antibody (A83869) (1µg/ml) staining of Human Ovary lysate (A) + peptide (B) (35µg protein in RIPA buffer). Detected by chemiluminescence.


antibodies

Anti-FSTL1 Antibody (A83869)

Images continued:



Anti-FSTL1 Antibody (A83869) - Immunofluorescence analysis of paraformaldehyde fixed A431 cells, permeabilized with 0.15% Triton. Primary incubation 1hr (10µg/ml) followed by Alexa Fluor 488 secondary antibody (2µg/ml), showing cytoplasmic and vesicle staining.



Anti-FSTL1 Antibody (A83869) - Flow cytometric analysis of paraformaldehyde fixed A549 cells (blue line), permeabilized with 0.5% Triton. Primary incubation 1hr (10 μ g/ml) followed by Alexa Fluor 488 secondary antibody (1 μ g/ml). IgG control: Unimmunized goat IgG (black line) followed by Alexa Fluor 488 secondary antibody.