


## Anti-PLCG 2 (phospho Tyr1217) Antibody (A88327)

## Specifications:

Name:	Anti-PLCG 2 (phospho Tyr1217) Antibody
Description:	Rabbit polyclonal antibody to PLCG 2 (phospho Tyr1217).
Applications:	WB, IHC
Recommended Dilutions:	WB: 1:500-1:2,000, IHC: 1:50-1:200
Reactivity:	Human, Mouse
Immunogen:	A synthetic phosphorylated peptide around Y1217 of human PLCG2 (NP_002652.2).
Sequence:	FLYDT
Host:	Rabbit
Clonality:	Polyclonal
lsotype:	lgG
Conjugate:	Unconjugated
Purification:	Affinity purification.
Molecular Weight:	150 kDa
Product Form:	Liquid
Formulation:	Supplied in Phosphate Buffered Saline, pH 7.3, with 50% Glycerol and 0.01% Thiomersal.
Storage:	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Disclaimer:	This product is for research use only. It is not intended for diagnostic or therapeutic use.

## Images:




Western blot analysis of extracts of Raji cells, using Anti-PLCG 2 (phospho Tyr1217) Antibody (A88327) at 1:1,000 dilution or PLCG2 antibody (A2182). Raji cells were treated by Pervanadate (1 mM) at 37°C for 30 minutes. The secondary antibody was Goat Anti-Rabbit IgG H&L Antibody (HRP) at 1:10,000 dilution. Lysates/proteins were present at 25µg per lane. The blocking buffer used was 3% BSA. Detection was with a ECL Basic Kit. Exposure time: 1s.



## Anti-PLCG 2 (phospho Tyr1217) Antibody (A88327)

Images continued:



Immunohistochemistry analysis of paraffin-embedded mouse spleen using Anti-PLCG 2 (phospho Tyr1217) Antibody (A88327) at a dilution of 1:100 (40x lens).