

## **Anti-GPCR GPR55 Antibody (A89744)**

### Specifications:

Name: Anti-GPCR GPR55 Antibody

Description: Rabbit polyclonal antibody to GPCR GPR55.

Applications: WB, ICC/IF

Recommended Dilutions: WB: 1:500-1:2,000, ICC/IF: 1:50-1:200

Reactivity: Mouse, Rat

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 210-319

of human GPR55 (NP\_005674.2).

Sequence: GRRDHTQDWVQQKACIYSIAASLAVFVVSFLPVHLGFFLQFLVRNSFIVECRAKQSIS

FFLQLSMCFSNVNCCLDVFCYYFVIKEFRMNIRAHRPSRVQLVLQDTTISRG

Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Conjugate: Unconjugated

Purification: Affinity purification.

Molecular Weight: 37 kDa


Product Form: Liquid

Formulation: Supplied in Phosphate Buffered Saline, pH 7.3, with 50% Glycerol and 0.01% Thiomersal.

Storage: Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

Disclaimer: This product is for research use only. It is not intended for diagnostic or therapeutic use.

#### Images:




Western blot analysis of extracts of various cell lines, using Anti-GPCR GPR55 Antibody (A89744) at 1:3,000 dilution. The secondary antibody was Goat Anti-Rabbit IgG H&L Antibody (HRP) at 1:10,000 dilution. Lysates/proteins were present at 25µg per lane. The blocking buffer used was 3% non-fat dry milk in TBST. Detection was with a ECL Basic Kit.

Exposure time: 90s.



# Anti-GPCR GPR55 Antibody (A89744)

## Images continued:



Immunofluorescence analysis of rat bone marrow cells using Anti-GPCR GPR55 Antibody (A89744) at a dilution of 1:100. DAPI was used to stain the cell nuclei (blue).