

## Anti-KLF4 Antibody (A92956)


## Specifications:

Name:	Anti-KLF4 Antibody
Description:	Rabbit polyclonal antibody to KLF4.
Applications:	WB, IHC
Recommended Dilutions:	WB: 1:500-1:2,000, IHC: 1:50-1:200
Reactivity:	Human, Mouse, Rat
Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 180-479 of human KLF4 (NP_004226.3).
Sequence:	PPTAPFNLADINDVSPSGGFVAELLRPELDPVYIPPQQPQPPGGGLMGKFVLKASLSA PGSEYGSPSVISVSKGSPDGSHPVVVAPYNGGPPRTCPKIKQEAVSSCTHLGAGPPLS NGHRPAAHDFPLGRQLPSRTTPTLGLEEVLSSRDCHPALPLPPGFHPHPGPNYPSFLP DQMQPQVPPLHYQELMPPGSCMPEEPKPKRGRRSWPRKRTATHTCDYAGCGKTYTKSS HLKAHLRTHTGEKPYHCDWDGCGWKFARSDELTRHYRKHTGHRPFQCQKCDRAFSRSD HLALHMKRHF
Host:	Rabbit
Clonality:	Polyclonal
lsotype:	lgG
Conjugate:	Unconjugated
Purification:	Affinity purification.
Molecular Weight:	62 kDa
Product Form:	Liquid
Formulation:	Supplied in Phosphate Buffered Saline, pH 7.3, with 50% Glycerol and 0.01% Thiomersal.
Storage:	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Disclaimer:	This product is for research use only. It is not intended for diagnostic or therapeutic use.

## antibodies

## Anti-KLF4 Antibody (A92956)

Images:



Western blot analysis of extracts from normal (control) and KLF4 knockout (KO) HeLa cells, using Anti-KLF4 Antibody (A92956) at 1:1,000 dilution. The secondary antibody was Goat Anti-Rabbit IgG H&L Antibody (HRP) at 1:10,000 dilution. Lysates/proteins were present at 25µg per lane. The blocking buffer used was 3% non-fat dry milk in TBST. Detection was with a ECL Basic Kit. Exposure time: 10s.