


## Anti-FAK Antibody (A96457)

### Specifications:

Anti-FAK Antibody
Rabbit polyclonal antibody to FAK.
WB, IHC, ELISA
WB: 1:500-1:1000, IHC: 1:50-1:100, ELISA: 1:40000
Human, Mouse, Rat
Synthetic peptide derived from human FAK (amino acids 809-858).
Rabbit
Polyclonal
lgG
Unconjugated
Purified from rabbit serum by antigen affinity chromatography using the immunizing peptide.
119kDa
Liquid
Supplied in Phosphate Buffered Saline (without Mg2+ and Ca2+), pH 7.4, with 150mM NaCl, 0.02% Sodium Azide, and 50% Glycerol.
Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
This product is for research use only. It is not intended for diagnostic or therapeutic use.

### Images:



Western blot analysis of lysates from MCF-7 and HUVEC cells using Anti-FAK Antibody. The right hand lane represents a negative control, where the antibody is blocked by the immunising peptide.


# antibodies

## Anti-FAK Antibody (A96457)

#### Images continued:



Immunohistochemical analysis of paraffin-embedded human colon carcinoma tissue using Anti-FAK Antibody. The right hand panel represents a negative control, where the antibody was pre-incubated with the immunising peptide.



Western blot analysis of various cells using Anti-FAK Antibody at 1:1,000 (4°C overnight). Goat Anti-Rabbit IgG (IRDye 800) was used as a secondary at 1:5,000 (25°C, 1 hour).

Western blot analysis of HELA KB SH SY5Y 293T 3T3 lysis using Anti-FAK Antibody.

