

## Anti-p53 Antibody [BP53-12] - BSA and Azide free (A253358)

### Specifications:


Name:	Anti-p53 Antibody [BP53-12] - BSA and Azide free
Description:	Mouse monoclonal [BP53-12] antibody to p53.
Specificity:	This antibody reacts with an N-terminal epitope (aa 16-25) of both wild type and mutated p53. Mutation and/or allelic loss of p53 is one of the causes of a variety of mesenchymal and epithelial tumors. If it occurs in the germ line, such tumors run in families. In most transformed and tumor cells the concentration of p53 is increased 51000 fold over the minute concentrations (1000 molecules cell) in normal cells, principally due to the increased half-life (4 h) compared to that of the wild-type (20 min). p53 Localizes in the nucleus, but is detectable at the plasma membrane during mitosis and when certain mutations modulate cytoplasmic/nuclear distribution. Mutations arise with an average frequency of 70% but incidence varies from zero in carcinoid lung tumors to 97% in primary melanomas. High concentrations of p53 protein are transiently expressed in human epidermis and superficial dermal fibroblasts following mild ultraviolet irradiation. Positive nuclear staining with p53 antibody has been reported to be a negative prognostic factor in breast carcinoma, lung carcinoma, colorectal, and urothelial carcinoma. Anti-p53 positivity has also been used to differentiate uterine serous carcinoma from endometrioid carcinoma as well as to detect intratubular germ cell neoplasia.
Applications:	WB, IHC-P
Recommended Dilutions:	WB: 1-2 µg/ml, IHC-P: 1-2 µg/ml
Reactivity:	Human, Monkey, Canine, Hamster, Chicken
Cross Reactivity:	This antibody does not cross react with Mouse or Rat.
Immunogen:	Recombinant human wild type p53 protein.
Host:	Mouse
Clonality:	Monoclonal
Clone ID:	BP53-12
Isotype:	IgG2a
Light Chains:	kappa
Conjugate:	Unconjugated
Purification:	Protein A/G chromatography.
Concentration:	1 mg/ml
Product Form:	Liquid

## Anti-p53 Antibody [BP53-12] - BSA and Azide free (A253358)


### Specifications continued:

Formulation:	Supplied in 10mM Phosphate Buffered Saline; without Sodium Azide and carrier free.
Storage:	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
General Notes:	This monoclonal antibody is also available in a different formulation with BSA and Sodium Azide - Anti-p53 Antibody [BP53-12] (A250178).
Disclaimer:	This product is for research use only. It is not intended for diagnostic or therapeutic use.


### Images:



Immunohistochemical analysis of formalin-fixed, paraffin-embedded human colon carcinoma using Anti-p53 Antibody [BP53-12].



Western blot analysis of human HeLa cell lysate using Anti-p53 Antibody [BP53-12].



Western blot analysis of (Lane 1) A431 cell line lysate, (2) MCF7 cell line lysate, and (Lane 3) HEK293 cell line lysate using Anti-p53 Antibody [BP53-12].