

Anti-MUC16 Antibody [OCA125/1900] - BSA and Azide free (A253805)

Specifications:

Nama	Anti MUC16 Antibody [OCA125/1000] BSA and Azida free
Name:	Anti-MUC16 Antibody [OCA125/1900] - BSA and Azide free
Description:	Mouse monoclonal [OCA125/1900] antibody to MUC16.
Specificity:	The mucins are a family of highly glycosylated, secreted proteins with a basic structure consisting of a variable number of tandem repeats (VNTRs). Membrane-associated and secretory Mucins are high molecular weight glycoproteins of the glycocalyx (polysaccharide biofilm) that protects mucosal epithelium from particulate matter and microorganisms. Epithelial Mucins are large, secreted and cell surface glycoproteins crucial for adhesion modulation, signaling and epithelial cell protection. The number of repeats is highly polymorphic and varies among different alleles. The Mucin family consists of Mucins 1-4, Mucin 5 (AC and B), Mucins 6-8, Mucins 11-13 and Mucins 15-17. The Mucin 16 protein (also commonly referred to as CA125), encoded for by the gene MUC16, is a very high molecular weight tumor antigen consisting of three domains: a carboxy terminal domain, an extracellular domain and an amino terminal domain. Mucin 16, an ovarian cancer-associated antigen, is used as a marker to monitor the progress of epithelial ovarian cancer. It is a hydrophilic membrane-associated protein that may be involved in vitamin A functions.
Applications:	IHC-P
Recommended Dilutions:	IHC-Ρ: 1-2 μg/ml
Reactivity:	Human
Immunogen:	Native full-length human MUC16 protein, purified from human ovarian carcinoma.
Host:	Mouse
Clonality:	Monoclonal
Clone ID:	OCA125/1900
lsotype:	lgG1
Light Chains:	kappa
Conjugate:	Unconjugated
Purification:	Protein A/G chromatography.
Concentration:	1 mg/ml
Product Form:	Liquid
Formulation:	Supplied in 10mM Phosphate Buffered Saline; without Sodium Azide and carrier free.




Anti-MUC16 Antibody [OCA125/1900] - BSA and Azide free (A253805)


Specifications continued:

Storage:	Shipped at 4° C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
General Notes:	This monoclonal antibody is also available in a different formulation with BSA and Sodium Azide - Anti-MUC16 Antibody [OCA125/1900] (A250625).
Disclaimer:	This product is for research use only. It is not intended for diagnostic or therapeutic use.

Images:



Immunohistochemical analysis of formalin-fixed, paraffin-embedded human ovarian carcinoma using Anti-MUC16 Antibody [OCA125/1900].



SDS-PAGE analysis of Anti-MUC16 Antibody [OCA125/1900] under non-reduced and reduced conditions; showing intact IgG and intact heavy and light chains, respectively. SDS-PAGE analysis confirms the integrity and purity of the antibody.