

Anti-IL-7 Antibody [IL7/4013] (A277674)

Specifications:

| | |
|------------------------|---|
| Name: | Anti-IL-7 Antibody [IL7/4013] |
| Description: | Mouse monoclonal [IL7/4013] antibody to IL-7. |
| Specificity: | Interleukin-7 (IL-7) was originally described as a factor capable of inducing in vitro proliferation of pre-B cells from marrow cultures. The IL-7 gene encodes a protein 177 amino acids in length. IL-7 exerts its biological function through the IL-7 receptor which is expressed on pre-B cells, thymocytes and bone marrow-derived macrophages. The IL-7 receptor is composed of an IL-7 receptor specific chain and the IL-2 receptor β chain common to the IL-2, IL-4, IL-7, IL-9 and IL-15 receptors. IL-7 stimulation leads to the activation of Janus tyrosine kinase family members JAK1 and JAK3. Other studies have shown that in T cells, the IL-7 receptor-specific chain associates with the Src kinases family Lck and Fyn. IL-7 induces phosphorylation of Insulin receptor substrate-1 (IRS-1) and Insulin receptor substrate-2 (IRS-2), originally called 4PS. |
| Applications: | Flow Cytometry, IF, IHC-P |
| Recommended Dilutions: | Flow Cytometry: 1-2 μ g/million cells, IF: 1-2 μ g/ml, IHC-P: 1-2 μ g/ml |
| Reactivity: | Human |
| Immunogen: | Recombinant fragment, around amino acids 27-177, corresponding to mature human IL-7. The exact sequence is proprietary. |
| Host: | Mouse |
| Clonality: | Monoclonal |
| Clone ID: | IL7/4013 |
| Isotype: | IgG1 |
| Light Chains: | kappa |
| Conjugate: | Unconjugated |
| Purification: | Protein A/G chromatography. |
| Concentration: | 200 μ g/ml |
| Product Form: | Liquid |
| Formulation: | Supplied in 10mM Phosphate Buffered Saline with 0.05% BSA and 0.05% Sodium Azide. |
| Storage: | Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles. |

Anti-IL-7 Antibody [IL7/4013] (A277674)

Specifications continued:


General Notes:

This monoclonal antibody is also available in a different formulation without BSA and Sodium Azide - Anti-IL-7 Antibody [IL7/4013] - BSA and Azide free (A278262).


Disclaimer:

This product is for research use only. It is not intended for diagnostic or therapeutic use.


Images:



Immunohistochemical analysis of formalin-fixed, paraffin-embedded human colon carcinoma tissue using Anti-IL-7 Antibody [IL7/4013].




SDS-PAGE analysis of Anti-IL-7 Antibody [IL7/4013] under non-reduced and reduced conditions; showing intact IgG and intact heavy and light chains, respectively. SDS-PAGE analysis confirms the integrity and purity of the antibody.



Immunofluorescent analysis of PFA-fixed U-87 cells stained with Anti-IL-7 Antibody [IL7/4013] followed by Goat Anti-Mouse IgG (CF® 488) (Green). CF® 640A Phalloidin (Red).

Anti-IL-7 Antibody [IL7/4013] (A277674)

Images continued:



Flow cytometric analysis of PFA-fixed U87 cells using Anti-IL-7 Antibody [IL7/4013] followed by Goat Anti-Mouse IgG (CF® 488) (Blue). Isotype Control (Red).