

## Anti-FABP4 Antibody [FABP4/4426] - BSA and Azide free (A278177)

### Specifications:

Name:	Anti-FABP4 Antibody [FABP4/4426] - BSA and Azide free
Description:	Mouse monoclonal [FABP4/4426] antibody to FABP4.
Specificity:	Fatty acid-binding proteins, designated FABPs, are a family of homologous, cytoplasmic proteins that are expressed in a highly tissue-specific manner and play an integral role in the balance between lipid and carbohydrate metabolism. FABPs mediate fatty acid (FA) and/or hydrophobic ligand uptake, transport and targeting within their respective tissues. The mechanisms underlying these actions can give rise to both passive diffusional uptake and protein-mediated transmembrane transport of FAs. FABPs are expressed in adipocytes (A-FABP), brain (B-FABP), epidermis (E-FABP, also designated psoriasis-associated FABP or PA-FABP), muscle and heart (H-FABP, also designated mammary-derived growth inhibitor or MDGI), intestine (I-FABP), liver (L-FABP), myelin (M-FABP) and testis (T-FABP). The human A-FABP gene is organized into 4 exons, maps to chromosome 8q21.13, and encodes a 132 amino acid protein. A-FABP protein comprises approximately 1% of the total cytosolic protein in human adipose tissue.
Applications:	IHC-P
Recommended Dilutions:	IHC-P: 1-2 µg/ml
Reactivity:	Human
Immunogen:	Recombinant fragment, around amino acids 1-132, of human FABP4 protein. The exact sequence is proprietary.
Host:	Mouse
Clonality:	Monoclonal
Clone ID:	FABP4/4426
Isotype:	IgG1
Light Chains:	kappa
Conjugate:	Unconjugated
Purification:	Protein A/G chromatography.
Concentration:	1 mg/ml
Product Form:	Liquid
Formulation:	Supplied in 10mM Phosphate Buffered Saline; without Sodium Azide and carrier free.
Storage:	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.


## Anti-FABP4 Antibody [FABP4/4426] - BSA and Azide free (A278177)

### Specifications continued:


**General Notes:** This monoclonal antibody is also available in a different formulation with BSA and Sodium Azide - Anti-FABP4 Antibody [FABP4/4426] (A277589).

**Disclaimer:** This product is for research use only. It is not intended for diagnostic or therapeutic use.


### Images:



Immunohistochemical analysis of formalin-fixed, paraffin-embedded human placenta tissue using Anti-FABP4 Antibody [FABP4/4426] at 2µg/ml. Inset: PBS instead of the primary antibody. Secondary antibody negative control.




Immunohistochemical analysis of formalin-fixed, paraffin-embedded human breast carcinoma using Anti-FABP4 Antibody [FABP4/4426] at 2µg/ml in PBS for 30 minutes at room temperature.



SDS-PAGE analysis of Anti-FABP4 Antibody [FABP4/4426] under non-reduced and reduced conditions; showing intact IgG and intact heavy and light chains, respectively. SDS-PAGE analysis confirms the integrity and purity of the antibody.

## Anti-FABP4 Antibody [FABP4/4426] - BSA and Azide free (A278177)

Images continued:



Analysis of protein array containing more than 19,000 full-length human proteins using Anti-FABP4 Antibody [FABP4/4426]. Z-Score and S-Score: The Z-score represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProt™ array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProt™ are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a MAb to its intended target; a MAb is considered to be specific to its intended target, if the MAb has an S-score of at least 2.5. For example, if a MAb binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the binding of that MAb to protein X is equal to 29.