


Anti-Nup107 Antibody [ARC2942] (A306525)

Specifications:


Name:	Anti-Nup107 Antibody [ARC2942]
Description:	Rabbit monoclonal [ARC2942] antibody to Nup107.
Applications:	WB
Recommended Dilutions:	WB: 1:100-1:500
Reactivity:	Human, Rat
Immunogen:	A synthetic peptide corresponding to a sequence within amino acids 700-800 of human Nup107 (P57740).
Sequence:	LASKKHEAAKEVFKIPQDSIAEIYNQCEEQGMESPLPAEDDNAIREHLCIRAYLEAH ETFFKHMNSVPQKPALIPQPTFTEKVAHEHKEKKYEMDFG
Host:	Rabbit
Clonality:	Monoclonal
Clone ID:	ARC2942
Isotype:	IgG
Conjugate:	Unconjugated
Purification:	Affinity purification.
Molecular Weight:	106 kDa
Product Form:	Liquid
Formulation:	Supplied in Phosphate Buffered Saline, pH 7.3, with 50% Glycerol, 0.05% BSA, and 0.02% Sodium Azide.
Storage:	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Disclaimer:	This product is for research use only. It is not intended for diagnostic or therapeutic use.

Anti-Nup107 Antibody [ARC2942] (A306525)

Images:



Western blot analysis of extracts of various cell lines, using Anti-Nup107 Antibody [ARC2942] (A306525) at 1:500 dilution. The secondary antibody was Goat Anti-Rabbit IgG H&L Antibody (HRP) at 1:10,000 dilution. Lysates/proteins were present at 25µg per lane. The blocking buffer used was 3% non-fat dry milk in TBST. Detection was with a ECL Basic Kit. Exposure time: 60s.



Western blot analysis of extracts of Rat brain, using Anti-Nup107 Antibody [ARC2942] (A306525) at 1:500 dilution. The secondary antibody was Goat Anti-Rabbit IgG H&L Antibody (HRP) at 1:10,000 dilution. Lysates/proteins were present at 25µg per lane. The blocking buffer used was 3% non-fat dry milk in TBST. Detection was with a ECL Basic Kit. Exposure time: 180s.