

Anti-Mark3 Antibody (A307877)

Specifications:

Name: Anti-Mark3 Antibody

Description: Rabbit polyclonal antibody to Mark3.

Applications: WB, IHC

Recommended Dilutions: WB: 1:500-1:2,000, IHC: 1:50-1:200

Reactivity: Human, Mouse, Rat

Immunogen: A synthetic peptide corresponding to a sequence within amino acids 1-100 of human

MARK3 (NP_001122390.2).

Sequence: MSTRTPLPTVNERDTENHTSHGDGRQEVTSRTSRSGARCRNSIASCADEQPHIGNYRL

LKTIGKGNFAKVKLARHILTGREVAIKIIDKTQLNPTSLQKL

Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Conjugate: Unconjugated

Purification: Affinity purification.


Product Form: Liquid

Formulation: Supplied in Phosphate Buffered Saline, pH 7.3, with 50% Glycerol and 0.01% Thiomersal.

Storage: Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

Disclaimer: This product is for research use only. It is not intended for diagnostic or therapeutic use.

Images:




Immunohistochemistry analysis of paraffin-embedded rat heart using Anti-Mark3 Antibody (A307877) at a dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.




Anti-Mark3 Antibody (A307877)

Images continued:



Immunohistochemistry analysis of paraffin-embedded human liver cancer using Anti-Mark3 Antibody (A307877) at a dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.



Immunohistochemistry analysis of paraffin-embedded mouse kidney using Anti-Mark3 Antibody (A307877) at a dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.