

## Anti-BTN1A1 Antibody [CTX-2026] - Low endotoxin, Azide free (A323904)


Specifications:

Name:	Anti-BTN1A1 Antibody [CTX-2026] - Low endotoxin, Azide free
Description:	Recombinant human monoclonal [CTX-2026] antibody to BTN1A1.
Applications:	ELISA, FACS, Functional Assay, In Vivo
Reactivity:	Human, Cynomolgus Macaque
Host:	Human
Clonality:	Monoclonal
Clone ID:	CTX-2026
lsotype:	lgG1
Light Chains:	kappa
Conjugate:	Unconjugated
Purification:	Protein A affinity chromatography.
Concentration:	Reconstitution dependent.
Molecular Weight:	This antibody has a predicted MW of 145.54 kDa.
Purity:	> 95% (by SDS-PAGE and SEC-HPLC).
Product Form:	Lyophilized
Reconstitution:	Reconstitute with 100µl of sterile double-distilled water to bring antibody to 1mg/ml concentration. Gently shake to solubilize completely. Do not vortex!
Formulation:	Lyophilized from 25mM Histadine, pH 6.2, with 8% Sucrose and 0.01% Tween80.
Storage:	Shipped at 4°C. Lyophilized: Store at -20°C to -80°C. Reconstituted: Aliquot and store at -80°C. Product is stable for one year. Avoid freeze/thaw cycles.
Disclaimer:	This product is for research use only. It is not intended for diagnostic or therapeutic use.


## antibodies

## Anti-BTN1A1 Antibody [CTX-2026] - Low endotoxin, Azide free (A323904)


Images:




SDS-PAGE analysis of Anti-BTN1A1 Antibody [CTX-2026] - Low endotoxin, Azide free (A323904) under reducing (R) conditions confirms that the purity of this antibody is greater than 95%.



SEC-HPLC analysis of Anti-BTN1A1 Antibody [CTX-2026] - Low endotoxin, Azide free (A323904) confirms that the purity of this antibody is 98.77%.



Immobilized recombinant human PVRIG protein (His tag) at 2  $\mu$ g/ml is bound by Anti-BTN1A1 Antibody [CTX-2026] - Low endotoxin, Azide free (A323904). EC50 = 0.002394  $\mu$ g/ml.



Human BTN3 HEK293 cells were stained with Anti-BTN1A1 Antibody [CTX-2026] - Low endotoxin, Azide free (A323904) and negative control protein respectively, washed and then followed by PE and analyzed with FACS, EC50 = 0.8254 nM.