

## Anti-Chd7 Antibody (A93196)

## Specifications:

Name: Anti-Chd7 Antibody

Description: Rabbit polyclonal antibody to Chd7.

Applications: WB

Recommended Dilutions: WB: 1:500-1:2,000

Reactivity: Human

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 1-300 of

human CHD7 (NP\_060250.2).

Sequence: MADPGMMSLFGEDGNIFSEGLEGLGECGYPENPVNPMGQQMPIDQGFASLQPSLHHPS

TNQNQTKLTHFDHYNQYEQQKMHLMDQPNRMMSNTPGNGLASPHSQYHTPPVPQVPHG GSGGGQMGVYPGMQNERHGQSFVDSSSMWGPRAVQVPDQIRAPYQQQQPQPQPPQPAP SGPPAQGHPQHMQQMGSYMARGDFSMQQHGQPQQRMSQFSQGQEGLNQGNPFIATSGP GHLSHVPQQSPSMAPSLRHSVQQFHHHPSTALHGESVAHSPRFSPNPPQQGAVRPQTL

**NFSSRSQTVP** 

Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Conjugate: Unconjugated

Purification: Affinity purification.

Molecular Weight: 335 kDa

Product Form: Liquid

Formulation: Supplied in Phosphate Buffered Saline, pH 7.3, with 50% Glycerol and 0.01% Thiomersal.


Storage: Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

Disclaimer: This product is for research use only. It is not intended for diagnostic or therapeutic use.



## Anti-Chd7 Antibody (A93196)

## Images:



Western blot analysis of extracts of HeLa cells, using Anti-Chd7 Antibody (A93196) at 1:1,000 dilution. The secondary antibody was Goat Anti-Rabbit IgG H&L Antibody (HRP) at 1:10,000 dilution. Lysates/proteins were present at  $25\mu g$  per lane. The blocking buffer used was 3% non-fat dry milk in TBST. Detection was with a ECL Basic Kit. Exposure time: 5min.