


## Anti-hnRNP C1 + C2 (phospho Ser260) Antibody (A94569)

### Specifications:


Name:	Anti-hnRNP C1 + C2 (phospho Ser260) Antibody
Description:	Rabbit polyclonal antibody to hnRNP C1 + C2 (phospho Ser260).
Specificity:	This antibody detects endogenous levels of hnRNP C1/2 only when phosphorylated at Ser260.
Applications:	WB, IHC, ELISA
Recommended Dilutions:	IHC: 1:50-1:100, ELISA: 1:1000
Reactivity:	Human, Mouse, Rat
Immunogen:	Synthetic peptide derived from human hnRNP C1/2 around the phosphorylation site of Ser260 (amino acids 231-280).
Host:	Rabbit
Clonality:	Polyclonal
Isotype:	IgG
Conjugate:	Unconjugated
Purification:	Purified from rabbit serum by antigen affinity chromatography using the immunizing phospho peptide.
Molecular Weight:	33kDa
Product Form:	Liquid
Formulation:	Supplied in Phosphate Buffered Saline (without Mg <sup>2+</sup> and Ca <sup>2+</sup> ), pH 7.4, with 150mM NaCl, 0.02% Sodium Azide, and 50% Glycerol.
Storage:	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Disclaimer:	This product is for research use only. It is not intended for diagnostic or therapeutic use.

## Anti-hnRNP C1 + C2 (phospho Ser260) Antibody (A94569)


### Images:




Western blot analysis of lysates from 293 cells treated with H<sub>2</sub>O<sub>2</sub> 100uM 15' using Anti-hnRNP C1 + C2 (phospho Ser260) Antibody. The right hand lane represents a negative control, where the antibody is blocked by the immunising peptide.



Immunohistochemical analysis of paraffin-embedded human brain using Anti-hnRNP C1 + C2 (phospho Ser260) Antibody. The right hand panel represents a negative control, where the antibody was pre-incubated with the immunising peptide.



Western blot analysis of 293 cells using Anti-hnRNP C1 + C2 (phospho Ser260) Antibody.



Immunohistochemical analysis of paraffin-embedded human brain using Anti-hnRNP C1 + C2 (phospho Ser260) Antibody 1:100 (4°C overnight). The right hand panel represents a negative control, where the antibody was pre-incubated with the immunising peptide.