

Anti-beta 2 Microglobulin Antibody [SPM617] (A249749)

Specifications:

Name: Anti-beta 2 Microglobulin Antibody [SPM617]

Description: Mouse monoclonal [SPM617] antibody to beta 2 Microglobulin.

Applications: WB, Flow Cytometry, IF, IHC-P

Recommended Dilutions: WB: 1-2 μg/ml, Flow Cytometry: 1-2 μg/million cells, IF: 1-2 μg/ml, IHC-P: 1-2 μg/ml

Reactivity: Human, Non-Human Primates

Immunogen: Recombinant full-length human B2M protein.

Host: Mouse

Clonality: Monoclonal

Clone ID: SPM617

Isotype: IgG1

Light Chains: kappa

Conjugate: Unconjugated

Purification: Protein A/G chromatography.

Concentration: 200 μg/ml

Product Form: Liquid

Formulation: Supplied in 10mM Phosphate Buffered Saline with 0.05% BSA and 0.05% Sodium Azide.

Storage: Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

General Notes: This monoclonal antibody is also available in a different formulation without BSA and

Sodium Azide - Anti-beta 2 Microglobulin Antibody [SPM617] - BSA and Azide free


(A252929).

Disclaimer: This product is for research use only. It is not intended for diagnostic or therapeutic use.




Anti-beta 2 Microglobulin Antibody [SPM617] (A249749)


Images:




Immunohistochemical analysis of formalin-fixed, paraffin-embedded human cervical carcinoma using Anti-beta 2 Microglobulin Antibody [SPM617].



Immunofluorescent analysis of HeLa cells stained with Anti-beta 2 Microglobulin Antibody [SPM617] followed by Goat Anti-Mouse IgG (CF® 488) (Green).



Flow cytometric analysis of PFA fixed HeLa cells using Anti-beta 2 Microglobulin Antibody [SPM617] followed by Goat Anti-Mouse IgG (CF® 488) (Blue). Isotype Control (Red).



Western blot analysis of THP-1 and Raji Cell lysates using Anti-beta 2 Microglobulin Antibody [SPM617].