Anti-c-Kit Antibody [C117/370] (A249112)

Specifications:


| Name: | Anti-c-Kit Antibody [C117/370] |
|------------------------|--|
| Description: | Mouse monoclonal [C117/370] antibody to c-Kit. |
| Specificity: | This antibody recognizes a protein of 145kDa, identified as CD117/p145kit. It is found on a wide variety of tumor cells including follicular and papillary carcinoma of thyroid, adenocarcinomas from endometrium, lung, ovary, pancreas, and breast as well as malignant melanoma, endodermal sinus tumor, and small cell carcinoma. However, anti-CD117 has been particularly useful in differentiating gastrointestinal stromal tumors from Kaposi's sarcoma, tumors of smooth muscle origin, fibromatosis, and neural tumors of the GI tract. Anti-CD117 is also useful in recognizing myeloblasts in bone marrow biopsy and clot section. |
| Applications: | IHC-P |
| Recommended Dilutions: | IHC-Ρ: 1-2 μg/ml |
| Reactivity: | Human |
| Immunogen: | Recombinant human CD117 protein. |
| Host: | Mouse |
| Clonality: | Monoclonal |
| Clone ID: | C117/370 |
| lsotype: | lgG1 |
| Light Chains: | kappa |
| Conjugate: | Unconjugated |
| Purification: | Protein A/G chromatography. |
| Concentration: | 200 μg/ml |
| Product Form: | Liquid |
| Formulation: | Supplied in 10mM Phosphate Buffered Saline with 0.05% BSA and 0.05% Sodium Azide. |
| Storage: | Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles. |
| General Notes: | This monoclonal antibody is also available in a different formulation without BSA and Sodium Azide - Anti-c-Kit Antibody [C117/370] - BSA and Azide free (A252292). |
| Disclaimer: | This product is for research use only. It is not intended for diagnostic or therapeutic use. |

antibodies


antibodies

Anti-c-Kit Antibody [C117/370] (A249112)


Images:



Immunohistochemical analysis of formalin-fixed, paraffin-embedded human GIST using Anti-c-Kit Antibody [C117/370].



SDS-PAGE analysis of Anti-c-Kit Antibody [C117/370] under non-reduced and reduced conditions; showing intact IgG and intact heavy and light chains, respectively. SDS-PAGE analysis confirms the integrity and purity of the antibody.



Immunohistochemical analysis of formalin-fixed, paraffin-embedded human GIST using Anti-c-Kit Antibody [C117/370].