

Anti-Moesin Antibody [MSN/492] (A249385)

Specifications:

Name: Anti-Moesin Antibody [MSN/492]

Description: Mouse monoclonal [MSN/492] antibody to Moesin.

Applications: Flow Cytometry, IF, WB, IHC-P

Recommended Dilutions: Flow Cytometry: 1-2 μg/million cells, IF: 1-2 μg/ml, WB: 1-2 μg/ml, IHC-P: 1-2 μg/ml

Reactivity: Human

Cross Reactivity: This antibody does not cross react with Rat.

Immunogen: Recombinant full-length human Moesin protein.

Host: Mouse

Clonality: Monoclonal

Clone ID: MSN/492

Isotype: IgG1

Light Chains: kappa

Conjugate: Unconjugated

Purification: Protein A/G chromatography.

Concentration: 200 µg/ml

Product Form: Liquid

Formulation: Supplied in 10mM Phosphate Buffered Saline with 0.05% BSA and 0.05% Sodium Azide.

Storage: Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

General Notes: This monoclonal antibody is also available in a different formulation without BSA and


Sodium Azide - Anti-Moesin Antibody [MSN/492] - BSA and Azide free (A252565).

Disclaimer: This product is for research use only. It is not intended for diagnostic or therapeutic use.




Anti-Moesin Antibody [MSN/492] (A249385)


Images:




Immunohistochemical analysis of formalin-fixed, paraffin-embedded human melanoma using Anti-Moesin Antibody [MSN/492].



Immunohistochemical analysis of formalin-fixed, paraffin-embedded human testicular carcinoma using Anti-Moesin Antibody [MSN/492].



Western blot analysis of human Jurkat cell lysate using Anti-Moesin Antibody [MSN/492].



Immunohistochemical analysis of formalin-fixed, paraffin-embedded human placenta using Anti-Moesin Antibody [MSN/492].